	•
PC	OOR LEGIBILITY
	N THIS DOCUMENT ARE DIFFICULT TO READ THE QUALITY OF THE ORIGINAL
	•

### SFUND RECORDS CTR 2123882



155 Grand Avenue Suite 1000 Oakland, CA 94612 P.O.Box 12681 Oakland, CA 94604-2681 Tel 510.251.2426 Fax 510.893.8205

**CH2M HILL** 

November 1, 2006 264204.PC.70/MIPC.C224E

Mr. Henry Chui California Environmental Protection Agency, Department of Toxic Substances Control 700 Heinz Avenue, Suite 200 Berkeley, California 94710-2721

Subject: Cleanup Plan for PCB Site Building 386 AL#01 in Investigation Area C2, Eastern

Early Transfer Parcel, Lennar Mare Island, Vallejo, California

Dear Mr. Chui:

CH2M HILL prepared this letter in compliance with the requirements in the Consent Agreement (Lennar Mare Island, LLC, [LMI] et al. 2001) signed April 16, 2001, by LMI, the City of Vallejo, and the California Environmental Protection Agency, Department of Toxic Substances Control (DTSC), and according to the *Final Interim Removal Action Work Plan for Indoor Polychlorinated Biphenyl Sites in the Eastern Early Transfer Parcel* (CH2M HILL 2006). This letter presents the cleanup plan for Polychlorinated Biphenyl (PCB) Site Building 386 AL#01 in Investigation Area (IA) C2. Figure 1 shows the location of Building 386 in IA C2.

#### Site Identification

Using visual site surveys and reviews of historical records, building closure reports, and databases of electrical equipment, the United States Department of the Navy (Navy) identified sites where PCB-containing equipment was located, PCB spills were documented, or contamination was suspected because of building history or visible stains (Tetra Tech Environmental Management, Inc., [TtEMI] 1998). Navy personnel from Supervisor of Shipbuilding, Conversion and Repair, Portsmouth, Virginia, Environmental Detachment (SSPORTS) conducted interim PCB assessments and performed cleanup actions (e.g., washing, scabbling, and excavation) in accordance with technical work documents (TWDs), where necessary. Following the SSPORTS interim PCB assessments and necessary cleanup actions, TtEMI personnel collected samples either to confirm SSPORTS findings that no cleanup was necessary or to determine the effectiveness of the cleanup actions.

Building 386 is located in IA C2, east of Azuar Drive (formerly Cedar Avenue), south of Bagley (formerly 14th) Street, and west of Railroad Avenue (Figure 1). Building 386 was constructed in the early to mid-1920s as part of a single superstructure (with Buildings 388, 390, and 382). Building 386 was used as a metalworking facility and much of the former metalworking equipment remains in place. Although adjacent Buildings 388, 390, and 382 have been leased to XKT,

Building 386 is not currently leased and is in an area designated for industrial use, according to the *Preliminary Land Use Plan* (SWA Group 2000).

PCB Site Building 386 AL#01 is associated with Building 386 and is listed in the Consent Agreement (LMI et al. 2001). Site descriptions and sample location figures for the PCB Site Building 386 are provided in the *Final Basewide Polychlorinated Biphenyl Confirmation Sampling Summary Report* (TtEMI 1998) in the section for Parcel 05-A. Only PCB Site Building 386 AL#01 is addressed in this letter.

The following sections provide details on the site history, a summary of previous sampling and cleanup actions, and the proposed cleanup plan for PCB Site Building 386 AL#01.

# **Summary of Previous Sampling and Cleanup Actions**

PCB Site Building 386 AL#01, formerly used as a metalworking facility, occupies the entire first floor of Building 386 (Figure 1). As part of an interim assessment in August 1996, SSPORTS collected 34 wipe samples (6225-0028 through 6225-0042, 6225-0055 through 6225-0057, 6218-0244 through 6218-0252, and 6218-0262 through 6218-0269) and 55 solid samples (6225-0010 through 6225-0027, 6225-0046, 6225-0047, 6225-0064 through 6225-0073, 6225-0244 through 6225-0259, and 6218-0253 through 6218-0261) from stain-specific locations on the floor of the building (SSPORTS 1996a) (Table 1). PCBs were detected above laboratory reporting limits at 5 of the 34 wipe sample locations, with results ranging from 6.6 (6225-0056) to 507 micrograms per 100 square centimeters ( $\mu$ g/100 cm²) (6218-0266), and at 17 of the 55 solid sample locations, with results ranging from 1.4 (6225-0066) to 11.2 milligrams per kilogram ( $\mu$ g/kg) (6225-0255).

On November 5, 1996, SSPORTS issued TWD 96-1370 to remediate four floor areas were PCBs were detected above 10  $\mu$ g/100 cm² (SSPORTS 1996b). This remediation consisted of washing three steel-plate floor areas and one concrete floor area. A 4- by 4-foot concrete floor area was washed around sample location 6218-0245 (15  $\mu$ g/100 cm²) in the northwest corner of the building (Figure 2). Three adjacent steel-plate floor areas in the north-central portion of the building were washed around sample locations 6218-0264 (63  $\mu$ g/100 cm²), 6218-0265 (20  $\mu$ g/100 cm²), and 6218-0266 (507  $\mu$ g/100 cm²) (Figure 2). Following this cleanup action, SSPORTS personnel collected five wipe samples (6296-0091 through 6296-0095) on November 22, 1996, to confirm successful abatement. PCBs were not detected above the laboratory reporting limit (5  $\mu$ g/100 cm²) in these samples (SSPORTS 1996b).

On July 10, 1997, TtEMI personnel collected two concrete samples (PC1732 and PC1733) and four asphalt samples (PC1731, PC1736, PC1737, and PC1740) at PCB Site Building 386 AL#01 from oil-stained areas. The only detected PCB concentration that exceeded the industrial preliminary remediation goal (PRG) of 0.74 mg/kg was in concrete sample PC1734 (2.6 mg/kg) (Table 1).

In September 1997, as part of an Installation Restoration Program site investigation, three geoprobe borings were advanced and five soil samples (B386B001 through B386B003) were

collected and analyzed for PCBs. PCBs were not detected in these soil samples above the respective laboratory reporting limits (Table 1).

# Cleanup Plan

Previous sample locations and PCB concentrations for PCB Site Building 386 AL#01 are presented in Figure 2. Because residual concentrations exceed the industrial PRG of 0.74 mg/kg (United States Environmental Protection Agency [USEPA] 2004), additional cleanup actions are necessary. The proposed actions at PCB Site Building 386 AL#01 will include the removal of 18 distinct areas of floor where detected PCB concentrations have been above the industrial PRG (Figure 3).

The 18 proposed removal areas, approximately 5 by 5 feet each, surround the following PCB samples: 6218-0260, 6218-0261, 6225-0013, 6225-0255, 6225-0256, 6225-0247, 6225-0251, 6225-0017, 6225-0064, 6225-0065, 6225-0066, 6225-0067, 6225-0071, 6225-0019, 6225-0024, 6225-0070, 6218-0254, and PC1734 (Figure 3). Four discrete verification samples will be collected from each removal area based on a 3-foot (approximately 1-meter) grid. Approximately 6 inches of concrete and/or asphalt will be removed from each area.

Figure 4 illustrates the process for PCB site closure under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) and the Toxic Substances Control Act (TSCA). According to the *Final Polychlorinated Biphenyl Work Plan* (CH2M HILL 2003), and under CERCLA, NFA is appropriate at a PCB site if no potential source and no PCB contamination are present at the site. Even if a potential source or PCB contamination is present in machinery or building materials, NFA is appropriate under CERCLA if there has been no release of PCBs to soil or groundwater and there are no visible pathways for migration of PCBs to soil or groundwater (CH2M HILL 2003). If there has been a known release to soil or groundwater, NFA is also appropriate if the detected PCB concentrations in soil and groundwater do not exceed the applicable PRG, or if results of a site-specific risk evaluation demonstrate that potential risks associated with exposure to residual PCBs are within the risk-management range generally used to determine whether cleanup is necessary.

Cleanup actions will be performed in accordance with the Final Interim Removal Action Work Plan for Indoor Polychlorinated Biphenyl Sites in the Eastern Early Transfer Parcel (CH2M HILL 2006). Samples will be analyzed in accordance with the Quality Assurance Project Plan (CH2M HILL 2001) using USEPA Method SW8082. Health and safety will be maintained in accordance with the Health and Safety Plan for PCB Site Sampling and Remediation (Appendix A to the Draft Polychlorinated Biphenyl Work Plan; CH2M HILL 2002). Standard operating procedures (SOP) for the fieldwork and issues regarding site security, site access, permits and notifications, site restoration, and site demobilization were addressed in the Final Interim Removal Action Work Plan for Polychlorinated Biphenyl Sites in the Eastern Early Transfer Parcel.

Considering the PCB concentrations detected in samples collected from the site, PCB-containing wastes generated from cleanup activities will likely be disposed of off site in a Class II landfill.

However, final disposition of the waste will be determined using the results of waste characterization samples. PCB waste will be managed in accordance with CH2M HILL Health, Safety, and the Environment SOP 82 (HSE-82). This SOP was provided in the *Draft Polychlorinated Biphenyl Work Plan* (CH2M HILL 2002).

## **Conclusions**

Actions will be performed at PCB Site Building 386 AL#01 to remove remaining concentrations of PCBs that exceed site cleanup goals. Removal actions will continue until the cleanup goal has been achieved or until it is not practical to continue with the removal (e.g., without undermining a building wall). The cleanup, planned for December 2006, will be performed in accordance with the Final Interim Removal Action Work Plan for Indoor Polychlorinated Biphenyl Sites in the Eastern Early Transfer Parcel (CH2M HILL 2006). The necessity for indoor air sampling will be determined following an evaluation of the verification sample data. Indoor air sampling, if required, will be performed in accordance with the Draft Indoor Air Sampling and Analysis Plan for Polychlorinated Biphenyl Sites at Lennar Mare Island (CH2M HILL 2005).

Please submit your approval of this cleanup plan to me at the above address or via email at Michael.Sanchez@CH2M.com within 30 calendar days of receiving this letter. If you have questions or concerns regarding this cleanup plan for PCB Site Building 386 AL#01, please contact me at 530/229-3310 or Steve Farley at 707/562-1015 extension 103.

Quality Control Manager

Sincerely,


**CH2M HILL** 

Michael Sanchez Project Manager

RDD/062960001 (NLH3288.doc) ES102006010RDD

Enclosures: Table 1, Figures 1 through 4

### References



- SWA Group. 2000. Preliminary Land Use Plan. May 23.
- Tetra Tech Environmental Management, Inc. (TtEMI). 1998. Final Basewide Polychlorinated Biphenyl Confirmation Sampling Summary Report. February 13.
- United States Environmental Protection Agency (USEPA). 2004. Region 9 Preliminary Remediation Goals. October 1.

## Copy to (with enclosures):

Mr. Brian Thompson Regional Water Quality Control Board 1515 Clay Street, Suite 1400 Oakland, CA 94612

Ms. Carolyn d'Almeida U.S. EPA Region 9 (SFD 8-1) 75 Hawthorne Street, 9th Floor San Francisco, CA 94105

Mr. Neal Siler Lennar Mare Island, LLC 690 Walnut Avenue, Suite 100 Vallejo, CA 94592

Mr. Bob Palmer Caretaker Site Office, SF Bay 410 Palm Ave., Bldg. 1, Suite 161 San Francisco, CA 94130 (2 copies)

Mr. Bill Kilgore California Environmental Protection Agency, Department of Toxic Substances Control 8800 Cal Center Drive Sacramento, CA 95826 (Electronic copy only)

#### **CH2M HILL copies**:

Paula Bolio Melanie Swift Jen Tausch Starr Dehn (final link only) Jim Robbins (final CD only) Mr. Gordon Hart Paul, Hastings, Janofsky, Walker, LLP 55 Second Street, 24th Floor San Francisco, CA 94105-3411

Mr. Gil Hollingsworth Mare Island Conversion Division City of Vallejo 555 Santa Clara Street Vallejo, CA 94590-5934 (Electronic copy only)

Ms. Myrna Hayes 816 Branciforte Street Vallejo, CA 94590

Mr. Saul Bloom Arc Ecology 4634 – 3<sup>rd</sup> Street San Francisco, CA 94124 (Electronic copy only)

Ms. Sheila Roebuck Lennar Mare Island, LLC 690 Walnut Avenue, Suite 100 Vallejo, CA 94592 (IAs D1 and H2 only; otherwise without enclosures)

Copy to (without enclosures):

Ms. Carolyn Marn

U.S. Fish and Wildlife Service 2800 Cottage Way, Room W-2605

Sacramento, CA 95825

Ms. Laurie Sullivan

National Oceanic and Atmospheric

Administration

75 Hawthorne Street, 9th Floor

San Francisco, CA 94105

(Electronic copy only via email)

Ms. Patricia Port

Mr. Frank Gray

P.O. Box 944209

**OSPR** Headquarters

U.S. Department of Interior 1111 Jackson Street, Suite 520

Sacramento, CA 94244-2090

California Dept. of Fish & Game

Oakland, CA 94607

Mr. Jeff Gove

Bay Area Air Quality Management District

939 Ellis Street

San Francisco, CA 94109

Mr. Mike Coffey 6 Oricle Court

American Canyon, CA 94503

Mr. Kenneth Browne 109 El Camino Real Vallejo, CA 94590

Mr. Adam A. Chavez 1031 Florida Street Vallejo, CA 94590-5513

Mr. Gerald Karr 149 Garden Court Vallejo, CA 94591

Ms. Paula Tygielski 456 East L Street Benicia, CA 94510

Mr. Terry Schmidtbauer Dept. of Resource Management County of Solano 675 Texas Street, Suite 5500 Fairfield, CA 94533 Mr. James O'Loughlin 1449 Sheridan Drive Napa, CA 94558

Mr. Steven Goldbeck

San Francisco Bay Commission 50 California Street, Suite 2600 San Francisco, CA 94102

Dr. Tom Charon, M.D.

Solano County Department of Public Health

275 Beck Avenue Fairfield, CA 94533

Mr. Donald Parker Vallejo Fire Department 970 Nimitz Street

Vallejo, CA 94592

Mr. Justice Budu 107 Fieldstone Way Vallejo, CA 94589

Copy to (without enclosures):

Mr. Brad S. Nicolet Solano County Department of Resource Management 675 Texas Street, Suite 5500 Fairfield, CA 94533 (UST documents only)

TABLE 1
Sample Results for PCB Site Building 386 AL#01
PCB Sites, Lennar Mare Island, Vallejo, California

		<u> </u>			<del></del>	
Sample Number	Sample Matrix	Sample Date	PCB Concentration <sup>a</sup>	Unit	Comments	
6218-0253	Solid	08/14/96	<1.0	mg/kg		
6218-0254	Solid	08/14/96	1.8	mg/kg	Aroclor-1254	
6218-0255	Solid	08/14/96	<1.0	mg/kg		
6218-0256	Solid	08/14/96	<1.0	mg/kg		
6218-0257	Solid	08/14/96	<1.0	mg/kg		
6218-0258	Solid	08/14/96	<1.0	mg/kg		
6218-0259	Solid	08/14/96	<1.0	mg/kg		
6218-0260	Solid	08/14/96	2.1	mg/kg	Aroclor-1248	
6218-0261	Solid	08/14/96	6.6	mg/kg	Aroclor-1248	
6225-0046	Solid	08/14/96	<5.0	mg/kg		
6225-0047	Solid	08/14/96	<1.0	mg/kg		
6225-0064	Solid	08/15/96	1.6	mg/kg	Aroclor-1254	
6225-0065	Solid	08/15/96	3.4	mg/kg	Aroclor-1248	
6225-0066	Solid	08/15/96	1.4	mg/kg	Aroclor-1248	
6225-0067	Solid	08/15/96	2.6	mg/kg	Aroclor-1254	
6225-0068	Solid	08/15/96	<1.0	mg/kg		
6225-0069	Solid	08/15/96	<1.0	mg/kg		
6225-0070	Solid	08/15/96	4.5	mg/kg	Aroclor-1248	
6225-0071	Solid	08/15/96	3.2	mg/kg	Aroclor-1248	
6225-0072	Solid	08/15/96	<1.0	mg/kg		
6225-0073	Solid	08/15/96	<1.0	mg/kg		
6225-0019	Solid	08/16/96	2.0	mg/kg	Aroclor-1254	
6225-0020	Solid	08/16/96	<1.0	mg/kg		
6225-0021	Solid	08/16/96	<1.0	mg/kg		
6225-0022	Solid	08/16/96	<1.0	mg/kg		
6225-0023	Solid	08/16/96	<1.0	mg/kg		
6225-0024	Solid	08/16/96	1.6	mg/kg	Aroclor-1248	
6225-0025	Solid	08/16/96	<1.0	mg/kg		
6225-0026	Solid	08/16/96	<1.0	mg/kg		
6225-0027	Solid	08/16/96	<1.0	mg/kg		
6225-0010	Solid	08/19/96	<1.0	mg/kg		
6225-0011	Solid	08/19/96	<1.0	mg/kg		
6225-0012	Solid	08/19/96	<1.0	mg/kg		
6225-0013	Solid	08/19/96	5.0	mg/kg	Aroclor-1254	
6225-0014	Solid	08/19/96	<5.0	mg/kg		

TABLE 1
Sample Results for PCB Site Building 386 AL#01
PCB Sites, Lennar Mare Island, Vallejo, California

		·			
Sample Number	Sample Matrix	Sample Date	PCB Concentration <sup>a</sup>	Unit	Comments
6225-0015	Solid	08/19/96	<5.0	mg/kg	
6225-0016	Solid	08/19/96	<5.0	mg/kg	
6225-0017	Solid	08/19/96	10.1	mg/kg	Aroclor-1254
6225-0018	Solid	08/19/96	<5.0	mg/kg	
6225-0244	Solid	08/19/96	<5.0	mg/kg	
6225-0245	Solid	08/19/96	<5.0	mg/kg	
6225-0246	Solid	08/19/96	<5.0	mg/kg	
6225-0247	Solid	08/19/96	6.9	mg/kg	Aroclor-1254
6225-0248	Solid	08/19/96	<5.0	mg/kg	
6225-0249	Solid	08/19/96	<5.0	mg/kg	
6225-0250	Solid	08/19/96	<1.0	mg/kg	
6225-0251	Solid	08/19/96	1.5	mg/kg	Aroclor-1254
6225-0252	Solid	08/19/96	<5.0	mg/kg	
6225-0253	Solid	08/19/96	<5.0	mg/kg	
6225-0254	Solid	08/19/96	<5.0	mg/kg	
6225-0255	Solid	08/19/96	11.2	mg/kg	Aroclor-1260
6225-0256	Solid	08/19/96	3.4	mg/kg	Aroclor-1260
6225-0257	Solid	08/19/96	<1.0	mg/kg	
6225-0258	Solid	08/19/96	<5.0	mg/kg	
6225-0259	Solid	08/19/96	<5.0	mg/kg	
6225-0055	Wipe	08/21/96	<5.0	μg/100 cm <sup>2</sup>	
6225-0056	Wipe	08/21/96	6.6	μg/100 cm <sup>2</sup>	Aroclor-1260
6225-0057	Wipe	08/21/96	<5.0	μg/100 cm²	
6218-0244	Wipe	08/23/96	<5.0	μg/100 cm²	
6218-0245	Wipe of Concrete Floor	08/23/96	15.0	μg/100 cm <sup>2</sup>	Aroclor-1260; removed per TWD 96-1370
6218-0246	Wipe	08/23/96	<5.0	μg/100 cm²	
6218-0247	Wipe	08/23/96	<5.0	$\mu g/100 \text{ cm}^2$	
6218-0248	Wipe	08/23/96	<5.0	μg/100 cm²	
6218-0249	Wipe	08/23/96	<5.0	μg/100 cm²	
6218-0250	Wipe	08/23/96	<5.0	μg/100 cm <sup>2</sup>	
6218-0251	Wipe	08/23/96	<5.0	μg/100 cm <sup>2</sup>	
6218-0252	Wipe	08/23/96	<5.0	μg/100 cm²	
6218-0262	Wipe	08/23/96	<5.0	μg/100 cm <sup>2</sup>	
6218-0263	Wipe	08/23/96	<5.0	µg/100 cm <sup>2</sup>	
J2.0 J200		50,20,00	3.0	μ9, 100 011	

TABLE 1
Sample Results for PCB Site Building 386 AL#01
PCB Sites, Lennar Mare Island, Vallejo, California

Sample Number	Sample Matrix	Sample Date	PCB Concentration <sup>a</sup>	Unit	Comments
6218-0264	Wipe of Steel Plate on Floor	08/23/96	63.0	μg/100 cm <sup>2</sup>	Aroclor-1242; removed per TWD 96-1370
6218-0265	Wipe of Steel Plate on Floor	08/23/96	20.0	μg/100 cm²	Aroclor-1254; removed per TWD 96-1370
6218-0266	Wipe of Steel Plate on Floor	08/23/96	507.0	μ <b>g/100</b> cm²	Aroclor-1254; removed per TWD 96-1370
6218-0267	Wipe	08/23/96	<5.0	μg/100 cm <sup>2</sup>	
6218-0268	Wipe	08/23/96	<5.0	μg/100 cm <sup>2</sup>	
6218-0269	Wipe	08/23/96	<5.0	μg/100 cm <sup>2</sup>	
6225-0028	Wipe	08/27/96	<5.0	$\mu$ g/100 cm <sup>2</sup>	
6225-0029	Wipe	08/27/96	<5.0	$\mu$ g/100 cm <sup>2</sup>	
6225-0030	Wipe	08/27/96	<5.0	μg/100 cm <sup>2</sup>	
6225-0031	Wipe	08/27/96	<5.0	μg/100 cm <sup>2</sup>	
6225-0032	Wipe	08/27/96	<5.0	μg/100 cm²	
6225-0033	Wipe	08/27/96	<5.0	$\mu g/100~\text{cm}^2$	
6225-0034	Wipe	08/27/96	<5.0	μg/100 cm <sup>2</sup>	
6225-0035	Wipe	08/27/96	<5.0	μg/100 cm <sup>2</sup>	
6225-0037	Wipe	08/27/96	<5.0	$\mu$ g/100 cm <sup>2</sup>	
6225-0038	Wipe	08/27/96	<5.0	μg/100 cm²	
6225-0039	Wipe	08/27/96	<5.0	μg/100 cm <sup>2</sup>	
6225-0040	Wipe	08/27/96	<5.0	μ <b>g/100</b> cm²	
6225-0041	Wipe	08/27/96	<5.0	μg/100 cm <sup>2</sup>	
6225-0042	Wipe	08/27/96	<5.0	μ <b>g/100 cm<sup>2</sup></b>	
6296-0091	Wipe	11/22/96	<5.0	μg/100 cm²	TWD verification sample
6296-0092	Wipe	11/22/96	<5.0	μg/100 cm <sup>2</sup>	TWD verification sample
6296-0093	Wipe	11/22/96	<5.0	μ <b>g/100</b> cm²	TWD verification sample
6296-0094	Wipe	11/22/96	<5.0	μg/100 cm <sup>2</sup>	TWD verification sample
6296-0095	Wipe	11/22/96	<5.0	μg/100 cm <sup>2</sup>	TWD verification sample
PC1731	Asphalt	07/10/97	0.194 J	mg/kg	0.16 J mg/kg Aroclor-1254; 0.034 J mg/kg Aroclor-1260
PC1732	Concrete	07/10/97	0.223 J	mg/kg	0.18 J mg/kg Aroclor-1254; 0.043 J mg/kg Aroclor-1260
PC1734	Concrete	07/10/97	2.6	mg/kg	Aroclor-1254
PC1736	Asphalt	07/10/97	<0.067	mg/kg	
PC1737	Asphalt	07/10/97	0.092 J	mg/kg	Aroclor-1254
PC1740	Asphalt	07/10/97	0.23	mg/kg	Aroclor-1260

TABLE 1
Sample Results for PCB Site Building 386 AL#01
PCB Sites, Lennar Mare Island, Vallejo, California

Sample Number	Sample Matrix	Sample Date	PCB Concentration <sup>a</sup>	Unit	Comments
B386GB001	Soil	09/23/97	<0.034	mg/kg	3.5 to 4.0 feet bgs
B386GB002	Soil	09/23/97	<0.022	mg/kg	3.5 to 4.0 feet bgs
B386GB002	Soil	09/23/97	<0.0086	mg/kg	11 to 11.5 feet bgs
B386GB003	Soil	09/23/97	<0.0067	mg/kg	0 to 0.5 feet bgs
B386GB003	Soil	09/23/97	<0.01	mg/kg	4.0 to 4.5 feet bgs

<sup>&</sup>lt;sup>a</sup>Total PCB concentration unless otherwise specified in comments column.

#### Notes:

 $\mu$ g/100 cm<sup>2</sup> = micrograms per 100 square centimeters

bgs = below ground surface

J = estimated concentration

mg/kg = milligrams per kilogram

PCB = polychlorinated biphenyl

TWD = technical work document

